



MC

MC Fixed Boring Head
MC 固定式粗镗头




型号 Specification	刃数 Teeth	D	d	H	刀片 Insert	刀片螺钉 Insert screw	旗形扳手 Wrench	重量 Weight
MC 22-45	2	44.8	22	50	CCMT09T308	M040S100-1	Q15	0.25
22-50	2	49.8	22	50	CCMT09T308	M040S100-1	Q15	0.30
22-55	2	54.8	22	50	CCMT09T308	M040S100-1	Q15	0.35
22-60	2	59.8	22	50	CCMT09T308	M040S100-1	Q15	0.47
27-65	2	64.8	27	50	CCMT09T308	M040S100-1	Q15	0.60
27-70	2	69.8	27	50	CCMT09T308	M040S100-1	Q15	0.78
27-75	2	74.8	27	50	CCMT09T308	M040S100-1	Q15	0.86
27-80	2	79.8	27	50	CCMT09T308	M040S100-1	Q15	0.94
27-85	2	84.8	27	50	CCMT09T308	M040S100-1	Q15	1.08
27-90	2	89.8	27	50	CCMT09T308	M040S100-1	Q15	1.10
27-95	2	94.8	27	50	CCMT09T308	M040S100-1	Q15	1.16
27-100	2	99.8	27	50	CCMT09T308	M040S100-1	Q15	1.20
32-105	2	104.8	32	63	CCMT09T308	M040S100-1	Q15	1.84
32-110	2	109.8	32	63	CCMT09T308	M040S100-1	Q15	2.13
32-115	2	114.8	32	63	CCMT09T308	M040S100-1	Q15	2.22
32-120	2	119.8	32	63	CCMT09T308	M040S100-1	Q15	2.28
32-125	2	124.8	32	63	CCMT09T308	M040S100-1	Q15	1.72
32-130	2	129.8	32	63	CCMT09T308	M040S100-1	Q15	2.42

適用 Suitable: 德克、三菱或日立刀片 DEREK、MITSUBISHI Or HITACHI Insert

KSD-W

KSD-W Indexable Insert Drill (3xD)
KSD-W 舍弃式快速钻头 (3倍长)



型号 Specification	刃数 Teeth	D	d	L ₁	L ₂	L ₃	L	刀片 Insert	刀片螺钉 Insert screw	旗形扳手 Wrench	重量 Weight
KSD- C25-150-3-W	2	15	25	72	48	45	128	WCMX030208	M025W050	Q08B	0.32
C25-155-3-W	2	15.5	25	72	48	45	128	WCMX030208	M025W050	Q08B	0.32
C25-160-3-W	2	16	25	75	51	48	131	WCMX030208	M025W050	Q08B	0.33
C25-165-3-W	2	16.5	25	75	51	48	131	WCMX030208	M025W050	Q08B	0.34
C25-170-3-W	2	17	25	78	54	51	134	WCMX030208	M025W060	Q08B	0.34
C25-175-3-W	2	17.5	25	78	54	51	134	WCMX030208	M025W060	Q08B	0.35
C25-180-3-W	2	18	25	81	57	54	137	WCMX030208	M025W060	Q08B	0.36
C25-185-3-W	2	18.5	25	81	57	54	137	WCMX030208	M025W060	Q08B	0.36
C25-190-3-W	2	19	25	84	60	57	140	WCMX030208	M025W060	Q08B	0.37
C25-195-3-W	2	19.5	25	84	60	57	140	WCMX030208	M025W060	Q08B	0.37
C32-200-3-W	2	20	32	91	64	60	151	WCMX040208	M025W060	Q08B	0.57
C32-205-3-W	2	20.5	32	91	64	60	151	WCMX040208	M025W060	Q08B	0.57
C32-210-3-W	2	21	32	94	67	63	154	WCMX040208	M025W060	Q08B	0.58
C32-215-3-W	2	21.5	32	94	67	63	154	WCMX040208	M025W060	Q08B	0.58
C32-220-3-W	2	22	32	97	70	66	157	WCMX040208	M025W060	Q08B	0.59
C32-225-3-W	2	22.5	32	97	70	66	157	WCMX040208	M025W060	Q08B	0.59
C32-230-3-W	2	23	32	100	73	69	160	WCMX040208	M025W060	Q08B	0.61
C32-235-3-W	2	23.5	32	100	73	69	160	WCMX040208	M025W060	Q08B	0.62
C32-240-3-W	2	24	32	103	76	72	163	WCMX040208	M025W060	Q08B	0.64
C32-245-3-W	2	24.5	32	103	76	72	163	WCMX040208	M025W060	Q08B	0.65
C32-250-3-W	2	25	32	106	79	75	166	WCMX050308	M030W070	Q08B	0.66
C32-255-3-W	2	25.5	32	106	79	75	166	WCMX050308	M030W070	Q08B	0.66
C32-260-3-W	2	26	32	109	82	78	169	WCMX050308	M030W070	Q08B	0.70
C32-265-3-W	2	26.5	32	109	82	78	169	WCMX050308	M030W070	Q08B	0.70
C32-270-3-W	2	27	32	112	85	81	172	WCMX050308	M030W070	Q08B	0.71
C32-280-3-W	2	28	32	115	88	84	175	WCMX050308	M030W070	Q08B	0.75
C32-290-3-W	2	29	32	118	91	87	178	WCMX050308	M030W070	Q08B	0.77
C32-300-3-W	2	30	32	121	94	90	181	WCMX050308	M030W070	Q08B	0.81
C32-310-3-W	2	31	32	127	97	93	187	WCMX06T308	M035W090	Q15B	0.84
C32-320-3-W	2	32	32	130	100	96	190	WCMX06T308	M035W090	Q15B	0.88
C32-330-3-W	2	33	32	133	103	99	193	WCMX06T308	M035W090	Q15B	0.93
C32-340-3-W	2	34	32	136	106	102	196	WCMX06T308	M035W090	Q15B	0.96
C32-350-3-W	2	35	32	139	109	105	199	WCMX06T308	M035W090	Q15B	0.97
C32-360-3-W	2	36	32	142	112	108	202	WCMX06T308	M035W090	Q15B	1.06
C32-370-3-W	2	37	32	145	115	111	205	WCMX06T308	M035W090	Q15B	1.06
C32-380-3-W	2	38	32	148	118	114	208	WCMX06T308	M035W090	Q15B	1.06
C32-390-3-W	2	39	32	151	121	117	211	WCMX06T308	M035W090	Q15B	1.17


適用 Suitable: 德克或住友刀片 DEREK Or SUMITOMO Insert

转下页
See next page



KSD-W

KSD-W Indexable Insert Drill (3xD)
KSD-W 舍弃式快速钻头 (3倍长)




型号 Specification	刃数 Teeth	D	d	L ₁	L ₂	L ₃	L	刀片 Insert	刀片螺钉 Insert screw	旗形扳手 Wrench	重量 Weight
KSD-C40-400-3-W	2	40	40	156	126	120	226	WCMX080412	M040W090	Q15B	1.66
C40-410-3-W	2	41	40	159	129	123	229	WCMX080412	M040W090	Q15B	1.66
C40-420-3-W	2	42	40	162	132	126	232	WCMX080412	M040W090	Q15B	1.70
C40-430-3-W	2	43	40	165	135	129	235	WCMX080412	M040W090	Q15B	1.77
C40-440-3-W	2	44	40	168	138	132	238	WCMX080412	M040W090	Q15B	1.81
C40-450-3-W	2	45	40	171	141	135	241	WCMX080412	M040W090	Q15B	1.81
C40-460-3-W	2	46	40	174	144	138	244	WCMX080412	M040W090	Q15B	1.96
C40-470-3-W	2	47	40	177	147	141	247	WCMX080412	M040W090	Q15B	2.04
C40-480-3-W	2	48	40	180	150	144	250	WCMX080412	M040W090	Q15B	2.11
C40-490-3-W	2	49	40	183	150	147	253	WCMX080412	M040W090	Q15B	2.20
C40-500-3-W	2	50	40	186	153	150	256	WCMX080412	M040W090	Q15B	2.28
C40-510-3-W	2	51	40	189	153	153	259	WCMX080412	M040W090	Q15B	2.30
C40-520-3-W	2	52	40	192	156	156	262	WCMX080412	M040W090	Q15B	2.40
C40-530-3-W	2	53	40	195	156	159	265	WCMX080412	M040W090	Q15B	2.42
C40-540-3-W	2	54	40	198	162	162	268	WCMX080412	M040W090	Q15B	2.46
C40-550-3-W	2	55	40	201	165	165	271	WCMX080412	M040W090	Q15B	2.56
C40-560-3-W	2	56	40	204	168	174	274	WCMX080412	M040W090	Q15B	2.79
C40-570-3-W	2	57	40	207	171	177	277	WCMX080412	M040W090	Q15B	2.89
C40-580-3-W	2	58	40	210	174	180	280	WCMX080412	M040W090	Q15B	2.95
C40-590-3-W	2	59	40	213	177	183	283	WCMX080412	M040W090	Q15B	3.18
C40-600-3-W	2	60	40	216	180	186	286	WCMX080412	M040W090	Q15B	3.22
C40-610-3-W	2	61	40	219	183	189	289	WCMX050308	M030W070	Q08B	3.38
C40-620-3-W	2	62	40	222	186	192	292	WCMX050308	M030W070	Q08B	3.47
C40-630-3-W	2	63	40	225	189	195	295	WCMX050308	M030W070	Q08B	3.56
C40-640-3-W	2	64	40	228	192	198	298	WCMX050308	M030W070	Q08B	3.72
C40-650-3-W	2	65	40	231	195	201	301	WCMX050308	M030W070	Q08B	3.94
C40-660-3-W	2	66	40	234	198	204	304	WCMX06T308	M030W070	Q08B	4.01
C40-670-3-W	2	67	40	237	201	207	307	WCMX06T308	M030W070	Q08B	4.23
C40-680-3-W	2	68	40	240	204	210	310	WCMX06T308	M030W070	Q08B	4.28
C40-690-3-W	2	69	40	243	207	213	313	WCMX06T308	M030W070	Q08B	4.49
C40-700-3-W	2	70	40	246	210	216	316	WCMX06T308	M030W070	Q08B	4.60

适用 Suitable: 德克或住友刀片 DEREK Or SUMITOMO Insert

KSD-W

KSD-W Indexable Insert Drill (4xD)
KSD-W 舍弃式快速钻头 (4倍长)





型号 Specification	刃数 Teeth	D	d	L ₁	L ₂	L ₃	L	刀片 Insert	刀片螺钉 Insert screw	旗形扳手 Wrench	重量 Weight
KSD-C25-160-4-W	2	16	25	92	58	64	148	WCMX030208	M025W050	Q08B	0.35
C25-165-4-W	2	16.5	25	92	58	64	148	WCMX030208	M025W050	Q08B	0.35
C25-170-4-W	2	17	25	96	72	68	152	WCMX030208	M025W050	Q08B	0.35
C25-175-4-W	2	17.5	25	96	72	68	152	WCMX030208	M025W050	Q08B	0.36
C25-180-4-W	2	18	25	100	76	72	156	WCMX030208	M025W060	Q08B	0.37
C25-185-4-W	2	18.5	25	100	76	72	156	WCMX030208	M025W060	Q08B	0.38
C25-190-4-W	2	19	25	104	80	76	160	WCMX030208	M025W060	Q08B	0.39
C25-195-4-W	2	19.5	25	104	80	76	160	WCMX030208	M025W060	Q08B	0.39
C32-200-4-W	2	20	32	111	84	80	171	WCMX040208	M025W070	Q08B	0.58
C32-205-4-W	2	20.5	32	111	84	80	171	WCMX040208	M025W070	Q08B	0.59
C32-210-4-W	2	21	32	115	88	84	175	WCMX040208	M025W070	Q08B	0.60
C32-215-4-W	2	21.5	32	115	88	84	175	WCMX040208	M025W070	Q08B	0.61
C32-220-4-W	2	22	32	119	92	88	179	WCMX040208	M025W070	Q08B	0.63
C32-225-4-W	2	22.5	32	119	92	88	179	WCMX040208	M025W070	Q08B	0.63
C32-230-4-W	2	23	32	123	96	92	183	WCMX040208	M025W070	Q08B	0.65
C32-235-4-W	2	23.5	32	123	96	92	183	WCMX040208	M025W070	Q08B	0.66
C32-240-4-W	2	24	32	127	100	96	187	WCMX040208	M025W070	Q08B	0.67
C32-245-4-W	2	24.5	32	127	100	96	187	WCMX040208	M025W070	Q08B	0.68
C32-250-4-W	2	25	32	131	104	100	191	WCMX050308	M030W070	Q08B	0.69
C32-255-4-W	2	25.5	32	131	104	100	191	WCMX050308	M030W070	Q08B	0.71
C32-260-4-W	2	26	32	135	108	104	195	WCMX050308	M030W070	Q08B	0.75
C32-265-4-W	2	26.5	32	135	108	104	195	WCMX050308	M030W070	Q08B	0.75
C32-270-4-W	2	27	32	139	112	108	199	WCMX050308	M030W070	Q08B	0.77
C32-280-4-W	2	28	32	143	116	112	203	WCMX050308	M030W070	Q08B	0.81
C32-290-4-W	2	29	32	147	120	116	207	WCMX050308	M030W070	Q08B	0.84
C32-300-4-W	2	30	32	151	124	120	211	WCMX050308	M030W070	Q08B	0.87
C32-310-4-W	2	31	32	158	128	124	218	WCMX06T308	M035W090	Q15B	0.91
C32-320-4-W	2	32	32	162	132	128	222	WCMX06T308	M035W090	Q15B	0.97
C32-330-4-W	2	33	32	166	136	132	226	WCMX06T308	M035W090	Q15B	1.00
C32-340-4-W	2	34	32	170	140	136	230	WCMX06T308	M035W090	Q15B	1.03
C32-350-4-W	2	35	32	174	144	140	234	WCMX06T308	M035W090	Q15B	1.08
C32-360-4-W	2	36	32	178	148	144	238	WCMX06T308	M035W090	Q15B	1.12
C32-370-4-W	2	37	32	182	152	148	242	WCMX06T308	M035W090	Q15B	1.19
C32-380-4-W	2	38	32	186	156	152	246	WCMX06T308	M035W090	Q15B	1.23
C32-390-4-W	2	39	32	190	160	156	250	WCMX06T308	M035W090	Q15B	1.25

适用 Suitable: 德克或住友刀片 DEREK Or SUMITOMO Insert

KSD-W

KSD-W Indexable Insert Drill (4xD)
KSD-W 舍弃式快速钻头 (4倍长)




型号 Specification	刃数 Teeth	D	d	L ₁	L ₂	L ₃	L	刀片 Insert	刀片螺钉 Insert screw	旗形扳手 Wrench	重量 Weight
KSD-C40-400-4-W	2	40	40	196	166	160	266	WCMX080412	M040W090	Q15B	1.78
C40-410-4-W	2	41	40	200	170	164	270	WCMX080412	M040W090	Q15B	1.88
C40-420-4-W	2	42	40	204	174	168	274	WCMX080412	M040W090	Q15B	1.92
C40-430-4-W	2	43	40	208	178	172	278	WCMX080412	M040W090	Q15B	2.04
C40-440-4-W	2	44	40	212	182	176	282	WCMX080412	M040W090	Q15B	2.20
C40-450-4-W	2	45	40	216	186	180	286	WCMX080412	M040W090	Q15B	2.32
C40-460-4-W	2	46	40	220	190	184	290	WCMX080412	M040W090	Q15B	2.38
C40-470-4-W	2	47	40	224	194	188	294	WCMX080412	M040W090	Q15B	2.41
C40-480-4-W	2	48	40	228	198	192	298	WCMX080412	M040W090	Q15B	2.53
C40-490-4-W	2	49	40	232	202	196	302	WCMX080412	M040W090	Q15B	2.56
C40-500-4-W	2	50	40	236	206	200	306	WCMX080412	M040W090	Q15B	2.69
C40-510-4-W	2	51	40	240	210	204	310	WCMX080412	M040W090	Q15B	2.83
C40-520-4-W	2	52	40	244	214	208	314	WCMX080412	M040W090	Q15B	2.84
C40-530-4-W	2	53	40	248	218	212	318	WCMX080412	M040W090	Q15B	3.05
C40-540-4-W	2	54	40	252	222	216	322	WCMX080412	M040W090	Q15B	3.23
C40-550-4-W	2	55	40	256	226	220	326	WCMX080412	M040W090	Q15B	3.28
C40-560-4-W	2	56	40	260	230	224	330	WCMX080412	M040W090	Q15B	3.43
C40-570-4-W	2	57	40	264	234	228	334	WCMX080412	M040W090	Q15B	3.63
C40-580-4-W	2	58	40	268	238	232	338	WCMX080412	M040W090	Q15B	3.77
C40-590-4-W	2	59	40	272	242	236	342	WCMX080412	M040W090	Q15B	3.82
C40-600-4-W	2	60	40	276	246	240	346	WCMX080412	M040W090	Q15B	3.97
C40-610-4-W	2	61	40	280	250	244	350	WCMX080412	M040W090	Q15B	4.10

适用 Suitable: 德克或住友刀片 DEREK Or SUMITOMO Insert

KSD-S

KSD-S Indexable Insert Drill (3xD)
KSD-S 舍弃式快速钻头 (3倍长)



型号 Specification	刃数 Teeth	D	d	L ₁	L ₂	L ₃	L	刀片 Insert	刀片螺钉 Insert screw	旗形扳手 Wrench	重量 Weight
KSD-C25-150-3-S	2	15	25	72	48	45	128	SPMT050204	M020W040	Q08B	0.32
C25-155-3-S	2	15.5	25	72	48	45	128	SPMT060204	M022W050	Q08B	0.32
C25-160-3-S	2	16	25	75	51	48	131	SPMT060204	M022W050	Q08B	0.33
C25-165-3-S	2	16.5	25	75	51	48	131	SPMT060204	M022W050	Q08B	0.34
C25-170-3-S	2	17	25	78	54	51	134	SPMT060204	M022W050	Q08B	0.34
C25-175-3-S	2	17.5	25	78	54	51	134	SPMT060204	M022W050	Q08B	0.35
C25-180-3-S	2	18	25	81	57	54	137	SPMT060204	M022W050	Q08B	0.36
C25-185-3-S	2	18.5	25	81	57	54	137	SPMT060204	M022W050	Q08B	0.36
C25-190-3-S	2	19	25	84	60	57	140	SPMT060204	M022W050	Q08B	0.37
C25-195-3-S	2	19.5	25	84	60	57	140	SPMT060204	M022W050	Q08B	0.37
C32-200-3-S	2	20	32	91	64	60	151	SPMT060204	M022W050	Q08B	0.57
C32-205-3-S	2	20.5	32	91	64	60	151	SPMT060204	M022W050	Q08B	0.57
C32-210-3-S	2	21	32	94	67	63	154	SPMT060204	M022W050	Q08B	0.58
C32-215-3-S	2	21.5	32	94	67	63	154	SPMT060204	M022W050	Q08B	0.58
C32-220-3-S	2	22	32	97	70	66	157	SPMT07T308	M025W070	Q08B	0.60
C32-225-3-S	2	22.5	32	97	70	66	157	SPMT07T308	M025W070	Q08B	0.60
C32-230-3-S	2	23	32	100	73	69	160	SPMT07T308	M025W070	Q08B	0.61
C32-235-3-S	2	23.5	32	100	73	69	160	SPMT07T308	M025W070	Q08B	0.62
C32-240-3-S	2	24	32	103	76	72	163	SPMT07T308	M025W070	Q08B	0.64
C32-245-3-S	2	24.5	32	103	76	72	163	SPMT07T308	M025W070	Q08B	0.65
C32-250-3-S	2	25	32	106	79	75	166	SPMT07T308	M025W070	Q08B	0.66
C32-255-3-S	2	25.5	32	106	79	75	166	SPMT07T308	M025W070	Q08B	0.66
C32-260-3-S	2	26	32	109	82	78	169	SPMT07T308	M025W070	Q08B	0.70
C32-265-3-S	2	26.5	32	109	82	78	169	SPMT07T308	M025W070	Q08B	0.70
C32-270-3-S	2	27	32	112	85	81	172	SPMT07T308	M025W070	Q08B	0.71
C32-275-3-S	2	27.5	32	112	85	81	172	SPMT07T308	M025W070	Q08B	0.73
C32-280-3-S	2	28	32	115	88	84	175	SPMT090408	M035W090	Q15B	0.75
C32-285-3-S	2	28.5	32	115	88	84	175	SPMT090408	M035W090	Q15B	0.76
C32-290-3-S	2	29	32	118	91	87	178	SPMT090408	M035W090	Q15B	0.77
C32-300-3-S	2	30	32	121	94	90	181	SPMT090408	M035W090	Q15B	0.81
C32-310-3-S	2	31	32	127	97	93	187	SPMT090408	M035W090	Q15B	0.84
C32-320-3-S	2	32	32	130	100	96	190	SPMT090408	M035W090	Q15B	0.88
C32-330-3-S	2	33	32	133	103	99	193	SPMT090408	M035W090	Q15B	0.93

适用 Suitable: 德克或特固克刀片 DEREK Or TAE GUTEC Insert

转下页
See next page