


2HPE



2날 플랫 엔드밀

2 Flutes Flat End Mills



unit(mm)

모델번호 Model No.	인선직경(선단경) Outside Diameter (D)	날장 Length of Cut (l _i)	생크경 Shank Diameter (d)	전장 Overall Length (L)
2HPE 001 002 445	0.1	0.2	4	45
2HPE 0015 003 445	0.15	0.3	4	45
2HPE 002 004 445	0.2	0.4	4	45
2HPE 0025 005 445	0.25	0.5	4	45
2HPE 003 006 445	0.3	0.6	4	45
2HPE 0035 007 445	0.35	0.7	4	45
2HPE 004 008 445	0.4	0.8	4	45
2HPE 0045 009 445	0.45	0.9	4	45
2HPE 005 010 345	0.5	1	3	45
2HPE 005 010 445	0.5	1	4	45
2HPE 0055 011 445	0.55	1.1	4	45
2HPE 006 012 345	0.6	1.2	3	45
2HPE 006 012 445	0.6	1.2	4	45
2HPE 0065 013 445	0.65	1.3	4	45
2HPE 007 014 445	0.7	1.4	4	45
2HPE 0075 015 445	0.75	1.5	4	45
2HPE 008 016 345	0.8	1.6	3	45
2HPE 008 016 445	0.8	1.6	4	45
2HPE 0085 017 445	0.85	1.7	4	45
2HPE 009 018 445	0.9	1.8	4	45
2HPE 0095 019 445	0.95	1.9	4	45
2HPE 010 025 345	1	2.5	3	45
2HPE 010 025 445	1	2.5	4	45
2HPE 010 025 645	1	2.5	6	45
2HPE 0105 025 645	1.05	2.5	6	45

2날 플랫 엔드밀



2 Flutes Flat End Mills

unit(mm)

모델번호 Model No.	인선직경(선단경) Outside Diameter (D)	날장 Length of Cut (L)	샙크경 Shank Diameter (d)	전장 Overall Length (L)
2HPE 011 025 645	1.1	2.5	6	45
2HPE 012 040 345	1.2	4	3	45
2HPE 012 040 445	1.2	4	4	45
2HPE 012 040 645	1.2	4	6	45
2HPE 0125 040 645	1.25	4	6	45
2HPE 013 040 645	1.3	4	6	45
2HPE 0135 040 645	1.35	4	6	45
2HPE 014 040 645	1.4	4	6	45
2HPE 0145 040 645	1.45	4	6	45
2HPE 015 040 345	1.5	4	3	45
2HPE 015 040 445	1.5	4	4	45
2HPE 015 040 645	1.5	4	6	45
2HPE 0155 040 645	1.55	4	6	45
2HPE 016 040 645	1.6	4	6	45
2HPE 0165 040 645	1.65	4	6	45
2HPE 017 042 645	1.7	4.2	6	45
2HPE 0175 042 645	1.75	4.2	6	45
2HPE 018 045 645	1.8	4.5	6	45
2HPE 0185 045 645	1.85	4.5	6	45
2HPE 019 050 645	1.9	5	6	45
2HPE 020 060 345	2	6	3	45
2HPE 020 060 445	2	6	4	45
2HPE 020 060 645	2	6	6	45
2HPE 021 060 645	2.1	6	6	45
2HPE 022 060 645	2.2	6	6	45
2HPE 023 060 645	2.3	6	6	45
2HPE 024 080 650	2.4	8	6	50
2HPE 025 080 350	2.5	8	3	50
2HPE 025 080 450	2.5	8	4	50
2HPE 025 080 650	2.5	8	6	50
2HPE 026 080 650	2.6	8	6	50
2HPE 027 080 650	2.7	8	6	50
2HPE 028 080 650	2.8	8	6	50
2HPE 029 080 650	2.9	8	6	50
2HPE 030 080 450	3	8	4	50

2 Flutes Flat End Mills

unit(mm)

모델번호 Model No.	인선직경(선단경) Outside Diameter (D)	날장 Length of Cut (l.)	샙크경 Shank Diameter (d)	전장 Overall Length (L)
2HPE 030 100 350	3	10	3	50
2HPE 030 100 650	3	10	6	50
2HPE 031 100 650	3.1	10	6	50
2HPE 032 100 650	3.2	10	6	50
2HPE 033 100 650	3.3	10	6	50
2HPE 034 100 650	3.4	10	6	50
2HPE 035 100 650	3.5	10	6	50
2HPE 036 100 650	3.6	10	6	50
2HPE 037 100 650	3.7	10	6	50
2HPE 038 100 650	3.8	10	6	50
2HPE 039 100 650	3.9	10	6	50
2HPE 040 120 450	4	12	4	50
2HPE 040 120 650	4	12	6	50
2HPE 041 120 650	4.1	12	6	50
2HPE 042 120 650	4.2	12	6	50
2HPE 043 120 650	4.3	12	6	50
2HPE 044 120 650	4.4	12	6	50
2HPE 045 120 650	4.5	12	6	50
2HPE 046 130 650	4.6	13	6	50
2HPE 047 130 650	4.7	13	6	50
2HPE 048 130 650	4.8	13	6	50
2HPE 049 130 650	4.9	13	6	50
2HPE 050 150 650	5	15	6	50
2HPE 051 150 650	5.1	15	6	50
2HPE 052 150 650	5.2	15	6	50
2HPE 053 150 650	5.3	15	6	50
2HPE 054 150 650	5.4	15	6	50
2HPE 055 150 650	5.5	15	6	50
2HPE 056 150 650	5.6	15	6	50
2HPE 057 150 650	5.7	15	6	50
2HPE 058 150 650	5.8	15	6	50
2HPE 059 150 650	5.9	15	6	50
2HPE 060 150 650	6	15	6	50
2HPE 061 160 860	6.1	16	8	60
2HPE 062 160 860	6.2	16	8	60

2날 플랫 엔드밀



2 Flutes Flat End Mills

unit(mm)

모델번호 Model No.	인선직경(선단경) Outside Diameter (D)	날장 Length of Cut (L)	생크경 Shank Diameter (d)	전장 Overall Length (L)
2HPE 063 160 860	6.3	16	8	60
2HPE 064 160 860	6.4	16	8	60
2HPE 065 160 860	6.5	16	8	60
2HPE 070 200 865	7	20	8	65
2HPE 075 200 865	7.5	20	8	65
2HPE 080 200 865	8	20	8	65
2HPE 085 200 A65	8.5	20	10	65
2HPE 090 250 A70	9	25	10	70
2HPE 095 250 A70	9.5	25	10	70
2HPE 100 250 A70	10	25	10	70
2HPE 105 250 C75	10.5	25	12	75
2HPE 110 250 C75	11	25	12	75
2HPE 115 250 C75	11.5	25	12	75
2HPE 120 300 C80	12	30	12	80
2HPE 130 350 E90	13	35	14	90
2HPE 140 350 E90	14	35	14	90
2HPE 150 350 GA0	15	35	16	100
2HPE 160 400 GA0	16	40	16	100
2HPE 180 450 IA0	18	45	18	100
2HPE 200 450 KA0	20	45	20	100