


# 2RRB



## 2날 리브 볼 엔드밀

### 2 Flutes Rib Ball End Mills



unit(mm)

모델번호 Model No.	볼반경 Radius of Ball Nose (R)	날장 Length of Cut (l <sub>1</sub> )	유효장 Effective Length (l <sub>2</sub> )	생크경 Shank Diameter (d)	전장 Overall Length (L)
2RRB 001 002 445	R0.05	0.1	0.2	4	45
2RRB 001 003 445	R0.05	0.1	0.3	4	45
2RRB 001 005 445	R0.05	0.1	0.5	4	45
2RRB 002 006 445	R0.1	0.2	0.6	4	45
2RRB 002 010 445	R0.1	0.2	1	4	45
2RRB 002 015 445	R0.1	0.2	1.5	4	45
2RRB 002 020 445	R0.1	0.2	2	4	45
2RRB 003 010 445	R0.15	0.3	1	4	45
2RRB 003 015 445	R0.15	0.3	1.5	4	45
2RRB 003 020 445	R0.15	0.3	2	4	45
2RRB 003 025 445	R0.15	0.3	2.5	4	45
2RRB 003 030 445	R0.15	0.3	3	4	45
2RRB 004 010 445	R0.2	0.4	1	4	45
2RRB 004 015 445	R0.2	0.4	1.5	4	45
2RRB 004 020 445	R0.2	0.4	2	4	45
2RRB 004 025 445	R0.2	0.4	2.5	4	45
2RRB 004 030 445	R0.2	0.4	3	4	45
2RRB 004 040 445	R0.2	0.4	4	4	45
2RRB 004 050 445	R0.2	0.4	5	4	45
2RRB 005 010 445	R0.25	0.5	1	4	45
2RRB 005 015 445	R0.25	0.5	1.5	4	45
2RRB 005 020 445	R0.25	0.5	2	4	45
2RRB 005 025 445	R0.25	0.5	2.5	4	45
2RRB 005 030 445	R0.25	0.5	3	4	45
2RRB 005 040 445	R0.25	0.5	4	4	45
2RRB 005 050 445	R0.25	0.5	5	4	45

# 2날 리브 볼 엔드밀



## 2 Flutes Rib Ball End Mills

unit(mm)

모델번호 Model No.	볼반경 Radius of Ball Nose (R)	날장 Length of Cut (l.)	유효장 Effective Length (l.)	샙크경 Shank Diameter (d)	전장 Overall Length (L)
2RRB 005 060 445	R0.25	0.5	6	4	45
2RRB 005 080 445	R0.25	0.5	8	4	45
2RRB 006 020 445	R0.3	0.6	2	4	45
2RRB 006 030 445	R0.3	0.6	3	4	45
2RRB 006 040 445	R0.3	0.6	4	4	45
2RRB 006 050 445	R0.3	0.6	5	4	45
2RRB 006 060 445	R0.3	0.6	6	4	45
2RRB 006 080 445	R0.3	0.6	8	4	45
2RRB 006 100 445	R0.3	0.6	10	4	45
2RRB 008 020 445	R0.4	0.8	2	4	45
2RRB 008 030 445	R0.4	0.8	3	4	45
2RRB 008 040 445	R0.4	0.8	4	4	45
2RRB 008 050 445	R0.4	0.8	5	4	45
2RRB 008 060 445	R0.4	0.8	6	4	45
2RRB 008 080 445	R0.4	0.8	8	4	45
2RRB 008 100 445	R0.4	0.8	10	4	45
2RRB 008 120 445	R0.4	0.8	12	4	45
2RRB 010 030 445	R0.5	1	3	4	45
2RRB 010 040 445	R0.5	1	4	4	45
2RRB 010 050 445	R0.5	1	5	4	45
2RRB 010 060 445	R0.5	1	6	4	45
2RRB 010 070 445	R0.5	1	7	4	45
2RRB 010 080 445	R0.5	1	8	4	45
2RRB 010 090 445	R0.5	1	9	4	45
2RRB 010 100 445	R0.5	1	10	4	45
2RRB 010 120 445	R0.5	1	12	4	45
2RRB 010 140 450	R0.5	1	14	4	50
2RRB 010 160 450	R0.5	1	16	4	50
2RRB 010 180 450	R0.5	1	18	4	50
2RRB 010 200 450	R0.5	1	20	4	50
2RRB 012 040 445	R0.6	1.2	4	4	45
2RRB 012 060 445	R0.6	1.2	6	4	45
2RRB 012 080 445	R0.6	1.2	8	4	45
2RRB 012 100 445	R0.6	1.2	10	4	45
2RRB 012 120 445	R0.6	1.2	12	4	45

## 2 Flutes Rib Ball End Mills

unit(mm)

모델번호 Model No.	볼반경 Radius of Ball Nose (R)	날장 Length of Cut (L.)	유효장 Effective Length (L.)	생크경 Shank Diameter (d)	전장 Overall Length (L)
2RRB 015 040 445	R0.75	1.5	4	4	45
2RRB 015 060 445	R0.75	1.5	6	4	45
2RRB 015 080 445	R0.75	1.5	8	4	45
2RRB 015 100 445	R0.75	1.5	10	4	45
2RRB 015 120 445	R0.75	1.5	12	4	45
2RRB 015 140 450	R0.75	1.5	14	4	50
2RRB 015 160 450	R0.75	1.5	16	4	50
2RRB 015 180 450	R0.75	1.5	18	4	50
2RRB 015 200 450	R0.75	1.5	20	4	50
2RRB 020 060 445	R1.0	2	6	4	45
2RRB 020 080 445	R1.0	2	8	4	45
2RRB 020 100 445	R1.0	2	10	4	45
2RRB 020 120 445	R1.0	2	12	4	45
2RRB 020 140 450	R1.0	2	14	4	50
2RRB 020 160 450	R1.0	2	16	4	50
2RRB 020 180 450	R1.0	2	18	4	50
2RRB 020 200 450	R1.0	2	20	4	50
2RRB 020 250 460	R1.0	2	25	4	60
2RRB 020 300 470	R1.0	2	30	4	70
2RRB 025 080 445	R1.25	2.5	8	4	45
2RRB 025 100 445	R1.25	2.5	10	4	45
2RRB 025 120 445	R1.25	2.5	12	4	45
2RRB 025 160 450	R1.25	2.5	16	4	50
2RRB 025 200 450	R1.25	2.5	20	4	50
2RRB 030 080 650	R1.5	3	8	6	50
2RRB 030 100 650	R1.5	3	10	6	50
2RRB 030 120 650	R1.5	3	12	6	50
2RRB 030 140 660	R1.5	3	14	6	60
2RRB 030 160 660	R1.5	3	16	6	60
2RRB 030 180 660	R1.5	3	18	6	60
2RRB 030 200 660	R1.5	3	20	6	60
2RRB 030 250 665	R1.5	3	25	6	65
2RRB 030 300 670	R1.5	3	30	6	70
2RRB 030 350 680	R1.5	3	35	6	80
2RRB 040 100 650	R2.0	4	10	6	50
2RRB 040 120 650	R2.0	4	12	6	50

# 2날 리브 볼 엔드밀



## 2 Flutes Rib Ball End Mills

unit(mm)

모델번호 Model No.	볼반경 Radius of Ball Nose (R)	날장 Length of Cut (L.)	유효장 Effective Length (L.)	샙크경 Shank Diameter (d)	전장 Overall Length (L)
2RRB 040 160 660	R2.0	4	16	6	60
2RRB 040 200 660	R2.0	4	20	6	60
2RRB 040 250 665	R2.0	4	25	6	65
2RRB 040 300 670	R2.0	4	30	6	70
2RRB 040 350 680	R2.0	4	35	6	80
2RRB 040 400 680	R2.0	4	40	6	80
2RRB 050 120 650	R2.5	5	12	6	50
2RRB 050 300 670	R2.5	5	30	6	70
2RRB 060 150 660	R3.0	7	15	6	60
2RRB 060 200 660	R3.0	6	20	6	60
2RRB 060 300 670	R3.0	6	30	6	70
2RRB 080 150 865	R4.0	8	15	8	65
2RRB 080 200 860	R4.0	8	20	8	60
2RRB 080 300 880	R4.0	8	30	8	80
2RRB 100 200 A60	R5.0	10	20	10	60
2RRB 100 250 A70	R5.0	10	25	10	70
2RRB 100 350 AA0	R5.0	10	35	10	100
2RRB 120 300 C80	R6.0	12	30	12	80
2RRB 120 400 C80	R6.0	12	40	12	110