


4HRE



4날 리브가공용 플랫 엔드밀

4 Flutes Rib Flat End Mills



unit(mm)

모델번호 Model No.	인선직경(선단경) Outside Diameter (D)	날장 Length of Cut (l ₁)	유효장 Effective Length (l ₂)	생크경 Shank Diameter (d)	전장 Overall Length (L)
4HRE 008 020 445	0.8	1.2	2	4	45
4HRE 008 040 445	0.8	1.2	4	4	45
4HRE 008 060 445	0.8	1.2	6	4	45
4HRE 008 080 445	0.8	1.2	8	4	45
4HRE 008 100 445	0.8	1.2	10	4	45
4HRE 008 120 445	0.8	1.2	12	4	45
4HRE 008 160 445	0.8	1.2	16	4	45
4HRE 009 020 445	0.9	1.4	2	4	45
4HRE 009 060 445	0.9	1.4	6	4	45
4HRE 009 080 445	0.9	1.4	8	4	45
4HRE 009 100 445	0.9	1.4	10	4	45
4HRE 010 020 445	1	1.5	2	4	45
4HRE 010 030 445	1	1.5	3	4	45
4HRE 010 040 445	1	1.5	4	4	45
4HRE 010 060 445	1	1.5	6	4	45
4HRE 010 080 445	1	1.5	8	4	45
4HRE 010 100 445	1	1.5	10	4	45
4HRE 010 120 445	1	1.5	12	4	45
4HRE 010 140 450	1	1.5	14	4	50
4HRE 010 160 450	1	1.5	16	4	50
4HRE 010 200 450	1	1.5	20	4	50
4HRE 010 250 460	1	1.5	25	4	60
4HRE 012 040 445	1.2	1.8	4	4	45
4HRE 012 060 445	1.2	1.8	6	4	45
4HRE 012 080 445	1.2	1.8	8	4	45

4날 리브가공용 플랫 엔드밀



4 Flutes Rib Flat End Mills

unit(mm)

모델번호 Model No.	인선직경(선단경) Outside Diameter (D)	날장 Length of Cut (L.)	유효장 Effective Length (L.)	샙크경 Shank Diameter (d)	전장 Overall Length (L)
4HRE 012 100 445	1.2	1.8	10	4	45
4HRE 012 120 445	1.2	1.8	12	4	45
4HRE 012 160 450	1.2	1.8	16	4	50
4HRE 015 040 445	1.5	2.3	4	4	45
4HRE 015 060 445	1.5	2.3	6	4	45
4HRE 015 080 445	1.5	2.3	8	4	45
4HRE 015 100 445	1.5	2.3	10	4	45
4HRE 015 120 445	1.5	2.3	12	4	45
4HRE 015 160 450	1.5	2.3	16	4	50
4HRE 015 200 450	1.5	2.3	20	4	50
4HRE 015 250 460	1.5	2.3	25	4	60
4HRE 020 040 445	2	3	4	4	45
4HRE 020 060 445	2	3	6	4	45
4HRE 020 080 445	2	3	8	4	45
4HRE 020 100 445	2	3	10	4	45
4HRE 020 120 445	2	3	12	4	45
4HRE 020 140 450	2	3	14	4	50
4HRE 020 160 450	2	3	16	4	50
4HRE 020 180 450	2	3	18	4	50
4HRE 020 200 450	2	3	20	4	50
4HRE 020 250 460	2	3	25	4	60
4HRE 020 300 470	2	3	30	4	70
4HRE 025 100 445	2.5	3.8	10	4	45
4HRE 025 120 445	2.5	3.8	12	4	45
4HRE 025 160 450	2.5	3.8	16	4	50
4HRE 025 200 450	2.5	3.8	20	4	50
4HRE 025 250 460	2.5	3.8	25	4	60
4HRE 025 300 470	2.5	3.8	30	4	70
4HRE 030 060 645	3	4.5	6	6	45
4HRE 030 080 650	3	4.5	8	6	50
4HRE 030 100 650	3	4.5	10	6	50
4HRE 030 120 650	3	4.5	12	6	50
4HRE 030 160 660	3	4.5	16	6	60
4HRE 030 200 660	3	4.5	20	6	60
4HRE 030 250 665	3	4.5	25	6	65

4날 리브가공용 플랫 엔드밀



4 Flutes Rib Flat End Mills

unit(mm)

모델번호 Model No.	인선직경(선단경) Outside Diameter (D)	날장 Length of Cut (L.)	유효장 Effective Length (L.)	생크경 Shank Diameter (d)	전장 Overall Length (L)
4HRE 030 300 670	3	4.5	30	6	70
4HRE 030 350 680	3	4.5	35	6	80
4HRE 030 400 680	3	4.5	40	6	80
4HRE 040 080 650	4	6	8	6	50
4HRE 040 100 650	4	6	10	6	50
4HRE 040 120 650	4	6	12	6	50
4HRE 040 160 660	4	6	16	6	60
4HRE 040 200 660	4	6	20	6	60
4HRE 040 250 665	4	6	25	6	65
4HRE 040 300 670	4	6	30	6	70
4HRE 040 400 680	4	6	40	6	80
4HRE 040 450 690	4	6	45	6	90
4HRE 040 500 6A0	4	6	50	6	100
4HRE 050 160 660	5	8	16	6	60
4HRE 050 200 660	5	8	20	6	60
4HRE 050 250 665	5	8	25	6	65
4HRE 050 300 670	5	8	30	6	70
4HRE 050 400 680	5	8	40	6	80
4HRE 050 500 6A0	5	8	50	6	100
4HRE 060 200 660	6	9	20	6	60
4HRE 060 300 670	6	9	30	6	70
4HRE 060 400 690	6	9	40	6	90
4HRE 060 500 6A0	6	9	50	6	100
4HRE 080 200 865	8	12	20	8	65
4HRE 080 300 880	8	12	30	8	80
4HRE 080 400 8A0	8	12	40	8	100
4HRE 100 250 A70	10	15	25	10	70
4HRE 100 350 AA0	10	15	35	10	100
4HRE 100 450 AA0	10	15	45	10	100
4HRE 120 300 C80	12	18	30	12	80
4HRE 120 400 CB0	12	18	40	12	110
4HRE 120 500 CB0	12	18	50	12	110